

PATIENT CHECKLIST FOR KLIMAN PATHOLOGY CONSULTATIONS

I. Request Referral of Pathology Slides or Whole Placenta to Dr. Kliman:

- A. Contact Kristin Milano either by email at: kristin.milano@yale.edu, or by phone at **203-785-7642**. If you send Kristin an email, please cc Dr. Kliman at: harvey.kliman@yale.edu.
- B. You will be instructed which forms we will need to proceed.

II. Read our Privacy Policy, provide us with the forms noted below

Please Read our *Notice of Privacy Practices* and complete the *Request for Review of Pregnancy Tissue* and *Authorization for Release of Materials and Information* forms. If your physician is referring you, he or she needs to sign the form in the area indicated.

III. Fees & Reimbursement For Records and Slide Review

We require confirmation of insurance coverage or payment directly from all patients prior to case review.

Please see our *Payment Options For Review of Pregnancy Tissues* form for detailed instructions.

IV. Send *Request for Review of Pregnancy Tissue* and *Authorization for Release of Materials and Information* forms to Dr. Kliman's Laboratory.

- a. Take photos of or scan forms, and email to Dr. Kliman's office at: kristin.milano@yale.edu
- b. *OR* fax forms to: 203-737-4397
- c. *OR* print forms and mail to:

Harvey J. Kliman, MD, PhD
Yale University School of Medicine
Department of Obstetrics and Gynecology
310 Cedar Street, FMB 225
New Haven, CT 06510

VI. Timing and Questions

Typically it takes 3-4 weeks for all of the materials to be sent to Yale from the referring facilities. Call our office at 203-785-7642 (or email Kristin Milano) to confirm that the materials have been received.

We are eager to try to help you understand the cause of your pregnancy loss or complication and resolve this difficult issue for you and your partner. Please contact us if you have any questions or concerns about this process:

Kliman Lab Office: 203-785-7642 (Kristin Milano); kristin.milano@yale.edu

Dr. Harvey Kliman: 203-785-3854; harvey.kliman@yale.edu