

Granulocyte-colony Stimulating Factor Alters the Proteomic Landscape of the Nucleus Accumbens

Drew Kiraly, MD, PhD

*Assistant Professor, Psychiatry & Neuroscience
Icahn School of Medicine at Mount Sinai*


*Attending Physician
The Mount Sinai Hospital*



**Mount
Sinai**

What is the role of inflammation in mental illness?

Meta-analysis of Cytokines in Depression




(Haapakoski et al *Brain Behav Immun* 2014)

Dysregulation of cytokines or other markers of immune function are seen in many psychiatric illnesses:

- Autism Spectrum Disorder
- PTSD
- Bipolar Disorder
- Alzheimer's
- Others







Meta-analysis of Cytokines in Schizophrenia and Treatment





(Miller et al. *Biol Psychiatry* 2011)

How does this affect disease progression, and can it be harnessed as a possible therapeutic strategy?

Multiplex Analysis of Serum Cytokines After Cocaine





Effect of G-CSF on behavioral response to cocaine – Conditioned Place Preference





Effect of G-CSF on behavioral response to cocaine – Conditioned Place Preference


CPP with i.p. antibody




CPP with antibody in NAc




Discovery proteomics analysis of G-CSF effects




Coc vs Saline



GCSF vs Saline




GCSF / Coc vs Saline




Examination of the interaction of G-CSF and Cocaine


G-CSF & Cocaine vs. Cocaine




354 Decreased & 245 Increased



STRING protein-protein interaction analysis





of edges: 830
(Predicted: 491)
 $p < 1 \times 10^{-16}$



Synapse (46 proteins): $p = 3.32 \times 10^{-15}$
Presynapse (27 proteins): $p = 2.12 \times 10^{-11}$
Postsynapse (25 proteins): $p = 1.83 \times 10^{-8}$

Western blot validation of proteomic targets




- 1 hr
- 24 hr


G-CSF is a potent neuroimmune modulator

- Enhances reward seeking
 - Cocaine & Natural
- Boosts cognitive flexibility
- Enhances DA release and neuronal activation
- Alters synaptic structure

G-CSF Receptor



Hypothesis:



Future Directions

- Analysis of G-CSF effects on drug extinction and seeking tasks
 - **Correlation of proteomic changes with behavioral response**
 - (This is partially done but not shown for lack of time)
- **Detailed proteomic characterization of synaptic fractions**
 - **Isolated synaptosomes/PSDs**
 - **Biotinylated cell-surface markers**
- **Investigation of cell-specific effects of G-CSF ± Cocaine**
 - **Microglia / MSNs**
- Circuit manipulation and imaging to determine pathways affecting G-CSF behavioral response

Thank You!

Kiraly Lab



Rebecca Hofford



Katherine Meckel



Nick Mervosh



Kelsey Lucerne



Aya Osman



Tanner Euston

Yale Neuroproteomics

Rashaun Wilson

Tu Lam

Navin Rauniyar

Ken Williams

Angus Nairn

Vanderbilt

Erin Calipari

Gunes Kutlu

NIDA

Yale Neuroproteomics Center

Seaver Family Foundation

Leon Levy Foundation

NARSAD

FBI Scholars Foundation